

State of California
The Resources Agency

Department of Water Resources

Water Conditions in California Report 1 February 1, 1993



Douglas P. Wheeler

Secretary for Resources The Resources Agency **Pete Wilson**

Governor State of California David N. Kennedy

Director
Department of Water Resources

STATE OF CALIFORNIA

Pete Wilson, Governor

THE RESOURCES AGENCY

Douglas P. Wheeler, Secretary for Resources

Department of Water Resources

David N. Kennedy, Director

John J. Silveira Deputy Director Robert G. Potter Chief Deputy Director Carroll M. Hamon Deputy Director

L. Lucinda Chipponeri Assistant Director for Legislation Susan N. Weber Chief Counsel

Division of Flood Management

George T. Qualley	Chief
Maurice Roos	
Prepared	by
Gary Hester	Senior Engineer.W.R.
Frank Gehrke	Senior Engineer.W.R.
Robert R. Newton	Associate Engineer.W.R.
David M. Hart	
Matthew S. Colwell	Assistant Engineer, W.R.

COOPERATING AGENCIES

Public Agencies

Buena Vista Water Storage District Central California Irrigation District East Bay Municipal Utility District Friant Water Users Association Kaweah Delta Water Conservation District Kern Delta Water District Kings River Conservation District Lower Tule River Irrigation District Merced Irrigation District Modesto Irrigation District Nevada Irrigation District North Kern Water Storage District Northern California Power Agency Oakdale Irrigation District Omochumne-Hartnell Water District Oroville-Wyandotte Irrigation District Placer County Water Agency Sacramento Municipal Utility District San Bernardino County Flood Control District South San Joaquin Irrigation District Tri-Dam Project Tulare Lake Basin Water Storage District Turlock Irrigation District Yuba County Water Agency West Basin Municipal Water District

Private Organizations

J.G. Boswell Company
Kaweah River Association
Kings River Water Association
St. Johns River Association
Tule River Association
U.S. Tungsten Corporation
State Water Contractors

Public Utilities

Pacific Gas and Electric Company Southern California Edison Company Sierra Pacific Power Company

Municipalities

City of Bakersfield
Water Department
City of Los Angeles
Department of Water and Power
City and County of San Francisco
Hetch Hetchy Water and Power

State Agencies

California Department of Forestry & Fire Protection California Department of Water Resources

Federal Agencies

U.S. Department of Agriculture
Forest Service(14 National Forests)
Pacific Southwest Forest and Range
Experiment Station
Soil Conservation Service
U.S. Department of Commerce
National Weather Service
U.S. Department of Interior
Bureau of Reclamation
Geological Survey, Water Resources
Division
National Park Service(3 National Parks)
U.S. Department of Army
Corps of Engineers

Other Cooperative Programs

Nevada Cooperative Snow Surveys Oregon Cooperative Snow Surveys

SUMMARY OF WATER CONDITIONS February 1, 1993

After a dry start in November, two months of heavy precipitation have brightened the water supply outlook. With about 40 percent of the season remaining, it is too early to be sure, but prospects are good for above normal runoff in water year 1993. This is a very welcome contrast to the previous six years of drought, and especially last year which didn't produce much moisture until February and March.

Forecasts of April through July runoff are above average. These forecasts are based on conditions now and assumed normal weather for the rest of the season. Forecasted water year runoff is a little less, generally slightly over average.

Snowpack water content for this date is the best in a decade. Snow densities are higher than usual because of some rain on the pack during mid -January. The seasonal accumulation is about 175 percent of normal and is 115 percent of the April 1 average. The pack is relatively uniform throughout all regions, although percentages are highest at the lower elevations. Last year the pack was only 45 percent of average at this time.

Precipitation in January was more than twice normal. Seasonal precipitation statewide is about 155 percent of average. Regional percentages are greatest in the southern portion of the state and range down to 120 percent on the North Coast. Last year, at this time, the statewide precipitation was 60 percent of average, but eventually the water year ended up at 85 percent of average.


Runoff statewide is currently about 95 percent of average compared to only 25 percent one year ago. Runoff through December was still quite low but by the first of January watersheds were wet and significant runoff, even some flooding, occurred in January. Runoff during January was much above average for the month.

Reservoir storage is much better than this time last year showing about a 5 million acre-foot gain during January. Statewide storage at the beginning of February was about 75 percent of average, up from 55 percent a year ago. This is the highest February 1 amount since 1988, the second year of the drought.

SUMMARY OF WATER CONDITIONS									
IN PERCENT OF AVERAGE									
HYDROGRAPHIC AREA	PRECIPITATION OCTOBER 1 TO DATE	FEBRUARY 1 SNOW WATER CONTENT	FEBRUARY 1 RESERVOIR STORAGE	RUNOFF OCTOBER 1 TO DATE	APR-JULY RUNOFF FORECAST	WATER YEAR RUNOFF FORECAST			
NORTH COAST	120	165	55	90	105	100			
SAN FRANCISCO BAY	155		115	180					
CENTRAL COAST	165		95	250					
SOUTH COAST	240		145	470					
SACRAMENTO BASIN	140	180	85	90	115	100			
SAN JOAQUIN BASIN	160	185	65	120	135	125			
TULARE LAKE BASIN	160	165	55	100	120	110			
NORTH LAHONTAN	145	165	15	40	120	100			
SOUTH LAHONTAN	200	165	80	60	110	90			
COLORADO DESERT	320								
STATEWIDE	155	175	75	95	120	110			

SEASONAL PRECIPITATION

IN PERCENT OF AVERAGE TO DATE OCTOBER 1, 1992 TO JANUARY 31, 1993




NL - North Lahontan SL - South Lahontan

CD - Colorado Desert

WATER YEAR IS OCTOBER 1 THROUGH SEPTEMBER 30

FORECAST OF APRIL – JULY UNIMPAIRED SNOWMELT RUNOFF FEBRUARY 1, 1993



^{*} FORECAST BY DEPARTMENT OF WATER AND POWER, CITY OF LOS ANGELES

FORECASTS OF APRIL-JULY UNIMPAIRED RUNOFF FOR CENTRAL VALLEY STREAMS FEBRUARY 1, 1993

	T	A noil there	ah Inle He	nnoised Day - 4	Fin 1 000 A	T4
DRAINAGE BASIN AND WATERSHED		HISTOI		upaired Kunof	f in 1,000 Acre FORECA	
	50 Year Average	Maximum of Record		April-July Forecast	Percent of Average	80% Prob. Range
SACRAMENTO RIVER BASIN						
Upper Sacramento River Sacramento River at Shasta Lake McCloud River at Shasta Lake Pit River at Shasta Lake Total inflow to Shasta Lake	297 411 1,062 1,824	702 850 1,796 3,189	39 185 480 726	280 400 1,080 1,900	94 97 102 104	1,250-2,800
Sacramento River above Bend Bridge, near Red Bluff	2,491	4,674	943	2,570	103	1,600-3,900
Feather River Feather River at Lake Almanor near Pratville North Fork at Pulga Middle Fork near Clio (3) South Fork at Ponderosa Dam Total inflow to Oroville Reservoir	333 1,028 86 110 1,857	675 2,416 518 267 4,676	120 243 4 13 392	380 1,250 100 130 2,300	114 122 116 118 124	1,700-3,350
Yuba River North Yuba below Goodyears Bar Inflow to Jackson Mdws and Bowman Reservoirs South Yuba at Langs Crossing Yuba River at Smartville	286 112 233 1,047	647 236 481 2,424	51 25 57 200	350 130 280 1,300	122 116 120 124	1,000-2,000
American River North Fork at North Fork Dam Middle Fork near Auburn Silver Creek below Camino Diversion Dam Total inflow to Folsom Reservoir	262 522 173 1,284	716 1,406 386 3,074	43 100 37 229	330 660 230 1,660	126 126 133 129	1,150-2,550
Sacramento River at Sacramento						
SAN JOAQUIN RIVER BASIN						
Cosumnes River at Michigan Bar	129	363	8	160	124	100-280
Mokelumne River North Fork near West Point (4) Total inflow to Pardee Reservoir	437 465	829 1,065	104 102	550 620	126 133	450-850
Stanislaus River Middle Fork below Beardsley Dam North Fork inflow to McKay's Point Dam Total inflow to Melones Reservoir	334 224 713	702 503 1,710	64 34 116	450 350 970	135 156 136	730-1,350
Tuolumne River Cherry Creek and Eleanor Creek near Hetch Hetchy Tuolumne River near Hetch Hetchy Total inflow to Don Pedro Reservoir	322 606 1,200	727 1,392 2,682	97 153 301	400 800 1,620	124 132 135	1,230-2,250
Merced River Merced River at Pohono Bridge Total inflow to Exchequer Reservoir	362 617	888 1,587	80 123	500 850	138 138	630-1,200
San Joaquin River San Joaquin River at Mammoth Pool (2) Big Creek below Huntington Lake (2) South Fork near Florence Lake (2) Total inflow to Millerton Lake	1,014 95 202 1,228	2,279 264 511 3,355	235 11 58 262	1,300 120 250 1,630	128 126 124 133	1,200-2,200
San Joaquin River near Vernalis						
TULARE LAKE BASIN						
Kings River North Fork Kings River near Cliff Camp Total inflow to Pine Flat Reservoir	239 1,203	565 3,114	50 273	290 1,520	121 126	1,080-2,050
Kaweah River at Terminus Reservoir	284	814	61	340	120	220-480
Tule River at Success Reservoir	63	256	2	60	95	35-110
Kern River Kern River near Kernville Total inflow to Isabella Reservoir 1) All 50-year averages are based on data for water years 1941-1	373 462 990 except:	1,203 1,657	83 84	370 470	99 102	290-820

⁽¹⁾ All 50-year averages are based on data for water years 1941-1990 except:
(2) 45-year average based on years 1936-80.
(3) 44-year average based on years 1936-79.
(4) 36-year average based on years 1936-71.
(5) See inside back cover for definition of unimpaired runoff and 80 percent probability ranges.

FORECASTS OF WATER YEAR UNIMPAIRED RUNOFF FOR CENTRAL VALLEY STREAMS FEBRUARY 1, 1993

50 Year Average	HISTOR Maximum of Record	ICAL Minimum	*			n	ISTRIBU	ITION			FORECA	CTC
		Minimum				<u> </u>	TOTALL	1101	- 	1		
		of Record	October through January	February	March	April	May	June	July	August and September	Water Year Forecast	Percent of Average
856 1,244 3,145 5,987	1,964 2,353 5,150	165 577 1,484 2,479				200	F40	200	040	400	E 450	91
5,987	10,796		1,600	700	820 .	830	510	320	240	430	5,450 (4,100-7,300)	
8,664	17,180	3,294	2,730	1,150	1,250	1,100	750	420	300	500	8,200 (6,100-11,000	95)
780 2,417 219 291 4,617	1,269 4,400 637 562 9,492	366 666 24 32 994	1,040	540	650	890	850	380	180	220	4,750 (3,500-6,600)	103
564 181 379 2,390	1,056 292 565 4,926	102 30 98 369	610	270	320	480	530	240	50	50	2,550 (1,900-3,700)	107
616 1,070 318 2,736	1,234 2,575 705 6,381	66 144 59 349	665	330	430	580	650	350	80	35	3,120 (2,300-4,500)	114 101
385	1,253	20	140	70	80	85	50	20	5	5	455 (340-700)	118
626 748	1,009 1,800	197 129	125	60	90	160	250	180	30	5	900 (680-1,200)	120
471 1,150	929 2,952	88 155	220	100	150	250	390	260	70	20	1,460 (1,150-1,950)	127
461 770 1,882	1,147 1,661 4,430	123 258 383	350	140	200	340	550	530	200	30	2,340 (1,850-3,150)	124
461 966	1,020 2,859	92 150	230	70	110	190	300	280	80	20	1,280 (1,000-1,750)	133
1,337 112 248 1,776	2,964 298 653 4,642	308 14 71 362	250	100	140	300	550	530	250	100	2,220 (1,700-2,900)	125 126
284 1,669	607 4,294	58 383	230	80	€ 120	280	540	500	200	80	2,030	122
444	1,402	92	60	30	50	80	130	100	30	10	(1,500-2,700) 490	110
145	615	16	30	20	25	25	20	10	5	5	(330-670) 140	97
			00	۵.	20				•	-	(90-240)	
558 717	1,577 2,309	163 175	70	40	60	100	160	140	70	45	685 (440-1,150)	96

^{*} Unimpaired runoff to date e Estimated

FORECASTS OF APRIL-JULY UNIMPAIRED RUNOFF FOR SELECTED CALIFORNIA STREAMS

FEBRUARY 1, 1993

	April through July Unimpaired Runoff in 1,000 Acre-Feet						
DRAINAGE BASIN AND WATERSHED		HISTORICA	L	FORECASTS			
	50 Year Average ₍₁₎	Maximum of Record	Minimum of Record	April-July Forecast	Percent of Average		
NORTH COAST AREA							
Trinity River at Lewiston	653	1,593	80	700	107		
Scott River at Ft. Jones	200	*	*	210	105		
Upper Klamath Lake(1)(2)(5)	521	1,151	177	545	105		
LAHONTAN AREA							
Truckee River, Lake Tahoe to Farad accretion	268	713	58	320	119		
Lake Tahoe Rise in feet (assuming gates closed)	1.5	3.75	0.23	1.6	107		
East Carson River near Gardnerville	186	407	43	230	124		
West Carson River at Woodfords	54	131	12	65	120		
East Walker River near Bridgeport	63	209	7	75	119		
West Walker River near Coleville	148	330	35	180	122		
Owens River(3)	233	579	96	256	111		


⁽¹⁾Forecast period of April-September

⁽²⁾ Forecast by U.S. Soil Conservation Service, Portland, Or.

⁽³⁾Forecast by Dept. of Water and Power, City of Los Angeles


⁽⁴⁾Inside back cover for definition of unimpaired runoff.

⁽⁵⁾Average period of 25 years




NORTH COAST AREA


<u>SNOWPACK</u> - First of the month measurements made at 12 snow courses indicate an area wide snow water equivalent of 29.9 inches. This is 165 percent of the average for this date and about 110 percent of the seasonal (April 1) average. Last year at this time the pack was holding 11.1 inches of water.




PRECIPITATION - Seasonal precipitation (October 1 through the end of last month) on this area was 120 percent of normal. Precipitation last month was about 155 percent of the monthly average. Seasonal precipitation at this time last year stood at 45 percent of normal.



<u>RESERVOIR STORAGE</u> - First of the month storage in 7 reservoirs was 1.2 million acre-feet which is 55 percent of average. About 40 percent of available capacity was being used. Storage in these reservoirs at this time last year was 40 percent of average.




<u>RUNOFF</u> - Seasonal runoff of streams draining the area totaled 5.0 million acre-feet which is 95 percent of average for this period. Last year, runoff for the same period was 15 percent of average.




SACRAMENTO BASIN

<u>SNOWPACK</u> - First of the month measurements made at 68 snow course indicate a basin wide snow water equivalent of 36.0 inches. This is 180 percent of the average for this date and about 115 percent of the April 1 seasonal average. Last year at this time, the pack was holding 10.2 inches of water.



OCTOBER 1 TO DATE IN % OF AVERAGE

<u>PRECIPITATION</u> - Seasonal precipitation (October 1 through the end of last month) on the Sacramento Basin was 140 percent of normal. Precipitation last month was 175 percent of the monthly average. Seasonal precipitation at this time last year stood at 50 percent of average.



RESERVOIR STORAGE - First of the month storage in 43 reservoirs was 9.1 million acre-feet which is 85 percent of average. About 55 percent of available capacity was being used. Storage in these reservoirs was about 50 percent of average at this time last year.


240
220
200
180
140
140
120
0
INFLOW TO FEATHER YUBA AMERICAN MOKELUMNE


RUNOFF - Seasonal runoff from streams draining into the basin totaled 5.0 million acre-feet which is about 90 percent of average for this period. Last year runoff for the same period was 30 percent of average.

The Sacramento River Index for the year is forecast at 18.6 million acre-feet assuming median meteorological conditions for the remainder of the year. This classifies the year as "above normal" in the Sacramento-San Joaquin Delta according to the State Water Resources Control Board's Decision 1485. The SRI at this time last year was forecasted to be 8.0 million acre-feet.


RUNOFF OCTOBER 1 TO DATE IN % OF AVERAGE

LAST YEAR THIS YEAR






OCTOBER 1 TO DATE IN % OF AVERAGE



RESERVOIR STORAGE
CONTENTS OF MAJOR RESERVOIRS
IN PERCENT OF CAPACITY



OCTOBER 1 TO DATE IN % OF AVERAGE

LAST YEAR THIS YEAR

SAN JOAQUIN AND TULARE LAKE BASINS

<u>SNOWPACK</u> - First of the month measurements made at 60 San Joaquin Basin snow courses indicate a basin wide snow water equivalent of 38.9 inches which is 185 percent of the average for this date and 120 percent of the seasonal (April 1) average. Last year at this time, the pack was holding 9.3 inches of water.

At the same time, 42 Tulare Lake Basin snow courses indicated a basin-wide snow water equivalent of 25.2 inches which is 110 percent of the average for this date and 165 percent of the seasonal average. Last year at this time, the Basin was holding 5.4 inches of water.

<u>PRECIPITATION</u> - Seasonal precipitation (October 1 through the end of last month) on the San Joaquin Basin was 160 percent of normal. Precipitation last month was 235 percent of the monthly average. Seasonal precipitation at this time last year stood at 60 percent of normal.


Seasonal precipitation on the Tulare Lake Basin was 160 percent of normal. Precipitation last month was 225 percent of the monthly average. Seasonal precipitation at this time last year stood at 65 percent of normal.


RESERVOIR STORAGE - First of the month storage in 33 San Joaquin Basin reservoirs was 4.4 million acre-feet which is 65 percent of average. About 40 percent of available capacity was being used. Storage in these reservoirs at this time last year was 60 percent of average.


First of the month storage in 6 Tulare Lake Basin reservoirs was 431 thousand acre-feet which is 55 percent of average. About 20 percent of available capacity was being used. Storage in these reservoirs at this time last year was 40 percent of average.


<u>RUNOFF</u> - Seasonal runoff of streams draining into the San Joaquin Basin totaled 1.3 million acre-feet which is 115 percent of average for this period. Last year, runoff for this same period was 25 percent of average.

Seasonal runoff of streams draining into the Tulare Lake Basin totaled 392 thousand acre-feet which is 95 percent of average for this period. Last year, runoff for this same period was 35 percent of average.









LAST YEAR THIS YEAR

NORTH AND SOUTH LAHONTAN AREA

<u>SNOWPACK</u> - First of the month measurements made at 9 North Lahontan snow courses indicate an area wide snow water equivalent of 31.2 inches which is 165 percent of the average for this date and 105 percent of the seasonal (April 1) average. Last year at this time, the pack was holding 6.6 inches of water.

At the same time, 20 South Lahontan courses indicated an area-wide snow water equivalent of 25.3 inches which is 165 percent of the average for this date and 105 percent of the seasonal average. Last year at this time, the pack was holding 8.1 inches of water.

PRECIPITATION - Seasonal precipitation (October 1 through the end of last month) over the North Lahontan area averaged 145 percent of normal. Precipitation last month was 185 percent of the monthly average. Seasonal precipitation at this time last year stood at 50 percent of normal.


Seasonal precipitation over the South Lahontan area was 200 percent of normal. Last month's precipitation was 285 percent of the monthly average. Seasonal precipitation at this time last year stood at 75 percent of normal.

RESERVOIR STORAGE - First of the month storage in 5 North Lahontan reservoirs was 94 thousand acre-feet which is 15 percent of average. About 10 percent of available capacity was being used. Storage in these reservoirs at this time last year was 15 percent of average. Lake Tahoe was 1.8 feet below its natural rim on February 1.

First of the month storage in 8 South Lahontan reservoirs was 232 thousand acre-feet which is 80 percent of average. About 60 percent of available capacity was being used. Storage in these reservoirs at this time last year was 80 percent of average.

<u>RUNOFF</u> - Seasonal runoff of streams draining the North Lahontan area totaled 66 thousand acre-feet which is 45 percent of average for this period. Last year, runoff for this same period was 45 percent of average.


Seasonal runoff of the Owens River in the South Lahontan area totaled 28 thousand acre-feet which is 60 percent of



SAN FRANCISCO AND CENTRAL COAST AREAS


<u>PRECIPITATION</u> - Seasonal precipitation (October 1 through the end of last month) on the San Francisco Bay area was 155 percent of normal. Precipitation last month was 200 percent of the monthly average. Seasonal precipitation at this time last year stood at 55 percent of normal.

Seasonal precipitation on the Central Coast area averaged 165 percent of normal. Precipitation last month was 245 percent of the monthly average. Seasonal precipitation at this time last year stood at 75 percent of normal.



RESERVOIR STORAGE - First of the month storage in 18 major Bay area reservoirs was 530 thousand acre-feet which is 115 percent of average. About 75 percent of available capacity was being used. Storage in these reservoirs at this time last year was 70 percent of average.

First of the month storage in 6 major Central Coast reservoirs was 561 thousand acre-feet which is 95 percent of average. About 60 percent of available capacity was being used. Storage in these reservoirs at this time last year was 25 percent of average.



RUNOFF - Seasonal runoff of the Napa River in the San Francisco Bay area totaled 60 thousand acre-feet which is 180 percent of average for this period. Last year, runoff for this same period was 3 percent of average.

Seasonal runoff of selected Central Coast streams totaled 331 thousand acre-feet which is 255 percent of average for this period. Last year, runoff for this same period was about 20 percent of average.

SOUTH COAST AND COLORADO RIVER AREAS

<u>PRECIPITATION</u> - October through January (seasonal) precipitation on the South Coast area was 240 percent of normal. January precipitation was 410 percent of the monthly average. Seasonal precipitation at this time last year stood at 80 percent of normal.

Seasonal precipitation on the Colorado Desert area was 320 percent of normal. Precipitation in January was 660 percent of average. Seasonal precipitation at this time last year stood at 100 percent of average.

<u>RESERVOIR STORAGE</u> - February 1 storage in 29 major South Coast area reservoirs was 1.7 million acre-feet or 145 percent of average. About 85 percent of available capacity was being used. Storage in these reservoirs at this time last year was 110 percent of average.

On February 1 combined storage in Lakes Powell, Mead, Mohave and Havasu was about 36 million acre-feet or 95 percent of average. About 65 percent of available capacity was in use. Last year at this time, these reservoirs were storing 95 percent of average.

<u>RUNOFF</u> - Seasonal runoff from selected South Coast streams totaled 87 thousand acre-feet which is 465 percent of average. Runoff from these streams during January totaled 80 thousand acre-feet or 1035 percent of average. Seasonal runoff from these streams last year was 30 percent of average.

<u>COLORADO</u> - The February 1 snowpack in the Upper Colorado River basin according to the U.S. Soil Conservation Service reports was 107 percent of average and ranges from 81 percent in the Green Basin to 141 percent in the San Juan Basin.

The April through July inflow to Lake Powell is forecast to be 7.9 million acre-feet which is 98 percent of normal.

CENTRAL VALLEY PROJECT

Water year forecasts for runoff into major CVP storage reservoirs range from 91 percent to 127 percent of average. CVP storage on September 30, 1992 was 3.9 million acre-feet. As of January 31, 1993, storage has increased to 4.8 million acre-feet, which is about 74 percent of normal for this date. The Bureau of Reclamation will advise its water customers by February 15th as to the availability of water deliveries in 1993.

STATE WATER PROJECT

On February 1, conservation storage (Lake Oroville plus the state's share of San Luis) was 2.8 million acre-feet, which is 61 percent of capacity. The water supply picture improved greatly during the month of January to the extent that the approved level of water delivery to State contractors was raised to 40 percent, with the possibility of additional increases currently under study.

MAJOR WATER DISTRIBUTION PROJECTS

RESERVOIR STORAGE

(AVERAGES BASED ON PERIOD RECORD)

		AVERAGE	STORAG	E AS OFJANU	JARY 31		
RESERVOIR	CAPACITY 1,000 AF	STORAGE 1,000 AF	1992 1,000 AF 1,000 AF	1993	PERCENT		
STATE WATER PROJECT	1,000 AF	1,000 AF	1,000 AF 1,000 AF	AVERAGE			
Oroville	3,540	2,487	1,277	2,002	81		
San Luis SWP	1,060	900	524	798	89		
Lake Del Valle	77	30	25	40	133		
Silverwood	73	64	73	66	103		
Pyramid Lake	171	162	159	167	103		
Castaic Lake	324	243	305	267	110		
Perris Reservoir	132	110	124	122	111		
CENTRAL VALLEY PROJECT							
Clair Engle Lake	2,450	1,853	547	751	41		
Shasta Lake	4,550	. 3,244	1,343	2,765	85		
Whiskeytown	241	208	156	182	87		
Folsom	1,010	547	349	478	87		
New Melones	2,420	1,559	328	264	17		
Millerton Lake	521	309	230	344	111		
San Luis CVP	980	740	582	392	53		
COLORADO RIVER PROJECT							
Lake Mead	26,300	19,706	19,780	20,627	105		
Lake Powell	25,000	16,331	13,897	13,104	80		
Lake Mohave	1,810	1,587	1,672	1,735	109		
Lake Havasu	619	538	550	570	106		
EAST BAY MUNICIPAL UTILIT	Y DISTRICT						
Pardee	210	176	192	184	104		
Camanche	·432	253	116	134	53		
East Bay (4 reservoirs)	151	122	117	130	107		
CITY & COUNTY OF SAN FRAM	NCISCO						
Hetch Hetchy	360	146	126	105	72		
Cherry Lake	269	105	98	96	91		
Lake Eleanor	28	9	1	3	34		
South Bay (4 reservoirs)	223	159	116	176	110		
CITY OF LOS ANGELES (DWP)							
Crowley Lake (Long Valley Reserv	oir) 183	124	114	116	94		
Grant Lake	48	25	16	18	72		
Other Aqueduct Storage (6 reservo	irs) 95	62	71	45	73		

DEPARTMENT OF WATER RESOURCES - CALIFORNIA DATA EXCHANGE CENTER TELEMETERED SNOW WATER EQUIVALENTS - FEBRUARY 1, 1993


					INCHES OF	WATER EQU	
BASIN NAME		ELEV	APR 1	TODAY	PERCENT OF APR 1	24 HRS AGO	1 WEEK AGO
STATION NAME	AGENCY	FEET	AVG	TODAY	OF AFR I		
TRINITY RIVER	LIODE	7150		30.2		30.2	30.7
PETERSON FLAT	USBR USBR	6700	39.6	37.3	94%	37.3	37.3
RED ROCK MOUNTAIN		6450	40.5	28.9	71%	28.9	28.7
BONANZA KING	USBR USBR	6200	40.3	43.2	107%	41.9	44.6
SHIMMY LAKE	USBR	6200	28.3	22.2	79%	22.9	23.5
MIDDLE BOULDER #3	USBR	6030	29.9	32.0	107%	32.2	32.2
HIGHLAND LAKES	USBR	5900	20.0	25.3	****	25.3	25.3
SCOTTS MOUNTAIN	USBR	5700	22.4	28.8	129%	28.8	29.0
MUMBO BASIN BIG FLAT	USBR	5100		24.1		24.2	24.5
SACRAMENTO RIVER	000	7100	18.1	18.1	100%	18.2	17.7
CEDAR PASS	SCS DWR	7100		14.4		14.4	14.6
BLACKS MOUNTAIN	USBR	6750	42.4	43.5	103%		****
SAND FLAT	USBR	6700		25.2		25.2	25.2
MEDICINE LAKE	SCS	6350	13.6	17.2	126%	17.1	17.0
ADIN MOUNTAIN	USBR	5950	27.0	43.7	162%	43.7	44.1
SNOW MOUNTAIN	USBR	5600	29.0	31.3	108%	31.3	29.5
SLATE CREEK STOUTS MEADOW	USBR	5400	36.0	41.3	115%	40.8	36.7
STOUTS MEADOW	OODIT	0400	55.5				
FEATHER RIVER				20.4	4400/	20.4	30.7
KETTLEROCK	DWR	7300	25.5	30.4	119%	30.4 30.6	30.7 30.2
GRIZZLY	DWR	6900	29.7	30.6	103%	43.9	43.7
PILOT PEAK	DWR	6800	52.6	44.2	84%	43.9 39.6	39.2
GOLD LAKE	DWR	6750	36.5	39.6	108% 147%	41.3	43.0
HUMBUG	DWR	6500	28.0	41.0	14770	41.5	
RATTLESNAKE	DWR	6100	14.0	47 E	106%	47.0	43.7
BUCKS LAKE	DWR	5750	44.7	47.5	197%	39.1	38.5
FOUR TREES	DWR	5150	20.0	39.4	197 /6	09.1	00.0
YUBA & AMERICAN RIV							
LAKE LOIS	DWR	8800		49.7		49.7	51.6
SCHNEIDERS	SMUD	8750	34.5	40.7	118%	40.6	40.3
CAPLES LAKE COURSE	USBR	7800	30.9	31.6	102%	31.6	31.2
ALPHA	SMUD	7600	35.9	37.9	106%	37.8	37.6
BETA	DWR	7600		36.6		36.6	36.6
FORNI RIDGE	USBR	7600	37.0	37.6	102%	37.6	37.6
SILVER LAKE	USBR	7100	22.7	29.8	131%	29.9	30.0
CENT SIERRA SNOW LAB	USFS	6950	33.6	39.1	116%	39.1	39.8
HUYSINK	USBR	6600	42.6	30.7	72%	30.9	30.9
VAN VLECK	SMUD	6700	35.9	40.8	114%	41.0	41.2
ROBBS SADDLE	SMUD	5900	21.4	27.0	126%	27.1	27.1
GREEK STORE	USBR	5600	21.0	32.2	153%	32.2	32.2
BLUE CANYON	USBR	5280	9.0	15.6	173%	15.6	15.7
ROBBS POWERHOUSE	SMUD	5150	5.2	15.0	288%	15.1	15.6
DEADMAN CREEK	USBR	9250	37.2	26.4	71%	26.4	25.9
HIGHLAND MEADOW	USBR	8800	47.9	40.8	85%	40.8	39.7
GIANELLI MEADOW	USBR	8350	55.5	46.3	83%	46.3	46.3
LOWER RELIEF VALLEY	DWR	8100	41.2			 29.1	28.7
BLUE LAKES	SCS	8000	33.1	29.2	88% 111%	29.1 49.4	49.1
MUD LAKE	SMUD	7900	44.9	49.7		49.4 43.7	43.0
STANISLAUS MEADOW	USBR	7750	47.5	43.8	92% 	45.7	28.1
BLOODS CREEK	USBR	7200	35.5	33.1	103%	32.9	32.9
BLACK SPRINGS	USBR	6500	32.0	33.1	10376	02.9	02.0
TUOLUMNE & MERCED R.							
DANA MEADOWS	DWR	9800	27.7	25.6	92%	25.6	25.4
SLIDE CANYON	DWR	9200		37.9		38.0	36.4
SNOW FLAT	DWR	8700	44.1	42.5	96%	41.8	41.2
TUOLUMNE MEADOWS	DWR	8600	22.6	22.1	98%	22.1	21.7
HORSE MEADOW	DWR	8400	48.6	46.4	95%	46.4	46.4
OSTRANDER LAKE	DWR	8200	34.8	37.9	109%	37.9	38.6
PARADISE	DWR	7650					
GIN FLAT	DWR	7050	34.2	31.3	92%	31.4	33.4
LOWER KIBBIE	DWR	6600	27.4	30.0	109%	30.1	30.1
SAN JOAQUIN RIVER	Henn	10100	30.1	28.1	93%	28.1	28.1
VOLCANIC KNOB	USBR	10100	30.1 32.3	33.3	103%	33.4	32.7
AGNEW PASS	USBR	9450	32.3 37.8	33.1	87%	33.1	32.9
KAISER POINT	USBR	9200	37.8 30.8	38.2	124%	38.0	36.8
GREEN MOUNTAIN	USBR	7900 7600	30.5 30.5	37.4	122%	37.4	37.2
TAMARACK SUMMIT	USBR USBR	7600 7150	38.0	37. 6	99%	37.6	37.6
CHILKOOT MEADOW	USBN	7 100	00.0			•	

DEPARTMENT OF WATER RESOURCES - CALIFORNIA DATA EXCHANGE CENTER TELEMETERED SNOW WATER EQUIVALENTS - FEBRUARY 1, 1993

						WATER EQU	IVALENT
BASIN NAME STATION NAME	AGENCY	FEET	APR 1 AVG	TODAY	PERCENT OF APR 1	24 HRS	1 WEEK
				TODAT		AGO	AGO
HUNTINGTON LAKE	USBR	7000	20.1	27.6	137%	27.4	27.2
GRAVEYARD MEADOW	USBR	6900	18.8	31.7	169%	31.7	
POISON RIDGE	USBR	6900	28.9	40.1	139%	40.3	41.5
KINGS RIVER							
BISHOP PASS	DWR	11200		27.4		27.5	26.1
CHARLOTTE LAKE	DWR	10400		21.5		21.5	21.2
STATE LAKES	USCE	10400	29.0	26.9	93%	26.6	25.6
MITCHELL MEADOW	USCE	10375	32.9	32.9	100%	32.9	32.9
BLACKCAP BASIN	USBR	10300	34.3	33.3	97%	33.3	32.7
UPPER BURNT CORRAL	DWR	9700	34.6	41.8	121%	41.8	42.5
WEST WOODCHUCK MDW	USCE	9100	32.8	32.0	98%	32.0	32.2
BIG MEADOWS	DWR	7600	25.9	28.8	111%	29.0	29.8
KAWEAH & TULE RIVERS							
QUAKING ASPEN	DWR	7200	21.0	23.4	111%	23.4	24.0
GIANT FOREST	USCE	6400	10.0	16.8	168%	16.9	17.1
					,,,,,,	10.0	
KERN RIVER							
UPPER TYNDALL CREEK	USCE	11500	27.7	21.6	78%	21.5	
CRABTREE	DWR	10700	19.8	12.2	62%	12.4	12.4
CHAGOOPA PLATEAU	DWR	10300	21.8	20.9	96%	20.9	20.3
PASCOES	USCE	9150	24.9	24.4	98%	24.4	
TUNNEL WET MEADOW	DWR USCE	8950	15.6	15.6	100%	15.6	15.5
CASA VIEJA MDW	DWR	8900 8400	30,3 20,9	25.0 19.6	83% 94%	25.0 19.6	10.6
BEACH MEADOW	DWR	7650	11.0	12.8	117%	12.7	19.6 12.7
DEMON MEMBOR	Divit	7000	11.0	12.0	11770	12.7	12.7
SURPRISE VALLEY AREA							
DISMAL SWAMP	SCS	7050	29.2	25.1	86%	25.0	24.3
TRUCKEE RIVER							
MOUNT ROSE SKI AREA	SCS	8850	38.5	41.4	108%	41.4	41.4
INDEPENDENCE LAKE	SCS	8450	41.4	41.2	100%	41.2	
BIG MEADOWS INDEPENDENCE CAMP	SCS SCS	8700 7000	25.7 21.8	22.3 22.4	87% 103%	22.3	22.3
INDEPENDENCE CREEK	SCS	6500	12.7	22.4 17.9	141%	22.2 18.3	22.1 19.4
moer enounce of teen	000	0000	12.7	17.5	1-170	10.0	13.4
LAKE TAHOE BASIN							
HEAVENLY VALLEY	SCS	8800	28.1	28.8	102%	28.8	28.4
HAGANS MEADOW	SCS	8000	16.5	21.6	131%	22.6	22.7
MARLETTE LAKE	SCS	8000	21.1	22.8	108%	22.7	22.6
ECHO PEAK	SCS	7800	39.5	45.8	116%	45.4	
RUBICON NO. 2	SCS	7500	29.1	27.3	94%	27.1	26.1
WARD CREEK NO. 3 FALLEN LEAF LAKE	SCS SCS	6750 6300	39.4 7.0	38.0	96%	38.0	36.8
PALLEN LEAP LANE	303	6300	7.0	15.8	226%	15.8	14.9
CARSON RIVER							
EBBETTS PASS	SCS	8700	38.8			31.1	30.8
POISON FLAT	SCS	7900	16.2	21.8	135%	21.8	21.9
WALKER RIVER							
VIRGINIA LAKES RIDGE	SCS	9200	20.3	16.8	83%	16.7	16.7
LOBDELL LAKE	SCS	9200	17.3	14.4	83%	14.4	14.1
SONORA PASS BRIDGE LEAVITT MEADOWS	SCS	8750 7000	26.0	23.2	89%	23.0	23.1
LEAVITI MEADOWS	SCS	7200	8.0	15.2	190%	15.1	14.5
OWENS RIVER/MONO LK.							
GEM PASS	LADWP	10750	31.7	34.0	107%	34.0	34.0
SAWMILL MEADOW	DWR	10300	19.4	17.0	88%	17.0	17.0
COTTONWOOD LAKES	LADWP	10200	11.6				
BIG PINE #3	LADWP	9800	17.9	21.6	121%	21.6	21.0
SOUTH LAKE	LADWP	9600	16.0	18.1	113%	18.0	17.9
MAMMOTH PASS (RP)	USBR	9500	42.4	36.4	86%	36.4	36.4
MAMMOTH PASS-6 TANKS	USBR	9500		45.4			45.0
ROCK CREEK	LADWP	8200		15.1		15.1	15.2
•					•		

NORMAL SNOWPACK ACCUMULATION EXPRESSED AS A PERCENT OF APRIL 1ST AVERAGE

AREA	JANUARY	FEBRUARY	MARCH	APRIL	MAY
CENTRAL VALLEY NORTH	45	70	90	100	75
CENTRAL VALLEY SOUTH	45	65	85	100	80
NORTH COAST	40	60	85	100	80



DATA SOURCE: CENTRAL SIERRA SNOW LAB.

<u>VOICE MAIL</u> has been installed on all snow surveys office phone lines. This new service will enable staff to respond as quickly as possible to inquires. Additionally, the Program has acquired a cellular phone so messages can be retrieved from the field. Please note the following as well.

<u>SNOW SURVEYS DATALINE</u> is (916) 653-8292. If your normal method of reporting data is by telephone please leave your message by course number first, the course name, the date, the average depth and average water content. Remember, the date of measurement is important. For sensor data, the information is in the same order followed by snow manometer, precipitation manometer, if appropriate. For all other business please call the appropriate individual for the quickest response. These numbers are as follows

Frank Gehrke, Chief	916-653-8255
Dave Hart, Field Activities Coordinator	916-653-4541
Matt Colwell, Water Supply Forecasts	916-653-8273
Bob Newton, Full Natural Flow	916-653-9485
Jueneata Nossett, Precipitation	916-653-0767

<u>JACK PARDEE</u> retired at the end of 1992 with 37 years of State service. Many of these years were with the Snow Surveys Program. Congratulations and best wishes. Frank Gehrke has replaced Jack as Chief of the Snow Surveys Program.

1992 SNOWFLAKE AWARD recipient was Doug Woodman of the Kings River Water Association awarded at the 38th Annual Meeting of the Cooperators. This award is given to individuals who have a long standing commitment to the snow surveys program and activities in California.

SNOWPACK - Snow data is a major index of spring and summer runoff from Sierra Nevada watersheds. April 1 data historically reflects the magnitude of the snowpack at or near the maximum seasonal accumulation. Averages are based on April 1 data for the period 1941-1990 (50 years, except for data sites established after 1941).

PRECIPITATION - averages are based on April 1 data for the period 1941-1990 (50 years, except for data sites established after 1941).

RUNOFF AND FORECASTS - Runoff data and runoff forecasts are shown as unimpaired values. Unimpaired runoff represents the natural water production of a river basin, unaltered by upstream diversions, storage, or by export or import of water to or from other watersheds. Forecast of runoff assumes median conditions subsequent to the date of forecast.

Runoff probability ranges are statistically derived from historical data. The 80 percent probability range is comprised of the 90 percent exceedence level value and the 10 percent exceedence level value. This means that actual runoff should fall within the stated limits eight times out of ten.

Runoff averages for most streams are based on the 50 year period 1941-1990. For more details contact California Cooperative Snow Surveys, P. O. Box 942836, Sacramento, CA 94236-0001, (916) 653-8292.

On the front cover:

Yosemite National Park Rangers Tory Findley, Ginger Burley, Laurel Munson Boyers and Louise Johnson pose for a portrait atop O'Shaughnessy Dam after making the snow surveys through Jack Main Canyon in the Tuolumne River watershed.

Photo by Brent Findley

State of California – The Resources Agency DEPARTMENT OF WATER RESOURCES P.O. Box 942836 Sacramento CA 94236–0001

FIRST CLASS

